



PERFORMANCE INSPIRED INGENUITY

Siltech Corporation
225 Wicksteed Avenue
Toronto, Ontario M4H 1G5

www.siltech.com

Sales@siltech.com
+1 416.424.4567

Casually Concealed Foundation Cream

Description:

Casually Concealed is a foundation formulation that spreads easily and conceals imperfections well. Silube® J208-212CG is a versatile O/W emulsifier that efficiently incorporates pigments, while lending to a lubricous feel during application. Silwax® CR-5016 is a crosslinked alkyl dimethicone that exhibits excellent compatibility in organic systems and imparts cushion and emolliency. Siltech® CE-2000 is a versatile citrate ester that also aids in dispersing pigments. The ultra-low viscosity Silwax® A08-UP adds a premium sensorial that ends with a velvety finish. Enjoy the soothing feeling while concealing, moisturizing and enhancing your skin!

Ingredients:

Phase	Description (supplier)	INCI Name	Weight %
A	D.I. Water	Aqua	64.20
	Cosmedia SP (BASF)	Sodium Polyacrylate	0.90
	Glycerin	Glycerin	5.00
	Silube J208-212CG (Siltech)	Lauryl PEG-8 Dimethicone	5.00
B	Unipure White LC987 AS-EM (Sensient)	CI 77891 (and) Triethoxycaprylylsilane	5.65
	Unipure Yellow LC182 AS-EM (Sensient)	CI 77492 (and) Triethoxycaprylylsilane	1.38
	Unipure Red LC381 AS-EM (Sensient)	CI 77491 (and) Triethoxycaprylylsilane	0.42
	Unipure Black LC989 AS-EM (Sensient)	CI 77449 (and) Triethoxycaprylylsilane	0.04
	SXI-5 (Miyoshi)	Mica (and) Silica (and) Dimethicone	1.05
	Dry-Flo Elite (AkzoNobel)	Aluminum Starch Octenylsuccinate	1.80
C	Wiflarester IPM (Wilmar)	Isopropyl Myristate	7.06
	Silwax A08-UP (Siltech)	Caprylyl Methicone	1.00
	Siltech CE-2000 (Siltech)	Trioctyldodecyl Citrate	4.00
	Silwax CR-5016 (Siltech)	Cetyl Dimethicone/Bis Vinyl dimethicone Crosspolymer	1.00
	Fision EcoSil (Tri-K)	Hydrogenated Ethylhexyl Olivat, Hydrogenated Olive Oil Unsaponifiables	1.00
	Symocide PS (Symrise)	Phenoxyethanol, Decylene Glycol, 1,2- Hexanediol	0.50
Total			100.0



PERFORMANCE INSPIRED INGENUITY

Siltech Corporation
225 Wicksteed Avenue
Toronto, Ontario M4H 1G5

www.siltech.com

Sales@siltech.com
+1 416.424.4567

Procedure:

- 1) Disperse Cosmedia SP in Water and Glycerin until fully hydrated. Add Silube J208-212CG and mix well.
- 2) Combine Phase B and Phase C, blend well.
- 3) Add already combined Phase B & Phase C into Phase A slowly under mixing at 1000 rpm, then blend well.

Product formulations are included as illustrative examples. Siltech Corporation makes no representation or warranty of any kind with regard to any such formulations, including, without limitation, concerning the efficacy or safety of any product manufactured using such formulations.